



混合粘度チャート

0W-30 × 10W-40

0W-30比率	10W-40比率	40°C粘度mm ² /s	100°C粘度mm ² /s	混合後 粘度グレード
100	0	60.7	11.0	0W-30
95	5	62.0	11.1	0W-30
90	10	63.3	11.3	0W-30
85	15	64.6	11.4	2.5W-30
80	20	65.9	11.6	2.5W-30
75	25	67.3	11.7	2.5W-30
70	30	68.8	11.9	2.5W-30
65	35	70.2	12.0	2.5W-35
60	40	71.8	12.2	5W-35
55	45	73.3	12.3	5W-35
50	50	74.9	12.5	5W-35
45	55	76.5	12.7	5W-35
40	60	78.2	12.8	7.5W-35
35	65	80.0	13.0	7.5W-35
30	70	81.7	13.2	7.5W-35
25	75	83.6	13.4	7.5W-35
20	80	85.4	13.5	10W-35
15	85	87.4	13.7	10W-35
10	90	89.4	13.9	10W-40
5	95	91.4	14.1	10W-40
0	100	93.5	14.3	10W-40