



MOTORCYCLE OIL **RED FOX** 混合粘度チャート

0W-30 × 15W-50

0W-30比率	15W-50比率	40°C粘度mm ² /s	100°C粘度mm ² /s	混合後 粘度グレード
100	0	60.7	11.0	0W-30
95	5	63.0	11.3	0W-30
90	10	65.4	11.6	0W-30
85	15	68.0	11.9	2.5W-30
80	20	70.6	12.2	2.5W-35
75	25	73.3	12.5	5W-35
70	30	76.2	12.9	5W-35
65	35	79.2	13.2	7.5W-35
60	40	82.3	13.6	7.5W-35
55	45	85.6	13.9	7.5W-40
50	50	89.0	14.3	10W-40
45	55	92.6	14.7	10W-40
40	60	96.4	15.1	12.5W-40
35	65	100.3	15.5	12.5W-40
30	70	104.4	16.0	15W-40
25	75	108.6	16.4	15W-45
20	80	113.1	16.9	15W-45
15	85	117.8	17.4	15W-45
10	90	122.7	17.9	15W-50
5	95	127.8	18.4	15W-50
0	100	133.2	18.9	15W-50